FEBS Letters 347 (1994) 314–315

Contents to volume 347

Minireview

Calcium, calmodulin and cell cycle regulation (FEBS 14106) *A.R. Means* 1

Hypothesis

Thermodynamic considerations on the formation of reactive species from hypochlorite, superoxide and nitrogen monoxide: Could nitrosyl chloride be produced by neutrophils and macrophages? (FEBS 14108) *W.H. Koppenol* 5

Research Letters

Induction of specific protein tyrosine phosphatase transcripts during differentiation of mouse embryonal carcinoma (F9) cells (FEBS 14105) *K. Tsuneizumi, T. Kume, T. Watanabe, M.F.B.G. Gebbink, M.L. Thomas, M. Oishi* 9

ADP tethered to tyrosine-β345 at the catalytic site of the bovine heart F_1-ATPase is converted to tethered AMP by Mg^{2+}-dependent hydrolysis when the enzyme is photoinactivated with 2-N_3-ADP (FEBS 14111) *J.-M. Jault, W.S. Allison* 13

Stoichiometry of the complex of human interleukin-4 with its receptor (FEBS 14110) *R.C. Hoffman, C. Schalk-Hihi, B.J. Castner, M.G. Gibson, B.D. Rasmussen, A. Zdanov, A. Gustchina, C.J. March, A. Wlodawer* 17

Purification, and some molecular and enzymatic features of a novel *ccb*-type cytochrome *c* oxidase from a microaerobic denitrifier, *Magnetospirillum magnetotacticum* (FEBS 14114) *H. Tamegai, Y. Fukumori* 22

Vitamin D status modulates rat colonic M_3 muscarinic receptor characteristics and coupling to guanylate cyclase (FEBS 14112) *S. Khare, X.-Y. Tien, D. Wilson, R.K. Wali, B.M. Bissonnette, M.D. Sitrin, T.A. Brasitus* 27

Cyclophilin-B is an abundant protein whose conformation is similar to cyclophilin-A (FEBS 14115) *A. Galat, F. Bouet* 31

Purification of two active fusion proteins of the Na^+-dependent citrate carrier of *Klebsiella pneumoniae* (FEBS 14116) *K.M. Pos, M. Bott, P. Dimroth* 37

Parallel changes in Glut 4 and Rab4 movements in two insulin-resistant states (FEBS 14124) *J.-M. Ricort, J.-F. Tanti, M. Cormont, E. Van Obberghen, Y. Le Marchand-Brustel* 42

The rates of proton uptake and electron transfer at the reducing side of photosystem II in thylakoids (FEBS 14109) *M. Haumann, W. Junge* 45

The amino acid sequence previously attributed to a protein kinase or a TCP1-related molecular chaperone and co-purified with phytochrome is a β-glucosidase (FEBS 14117) *S. Gus-Mayer, H. Brunner, H.A.W. Schneider-Poetsch, F. Lottspeich, C. Eckerskorn, R. Grimm, W. Rüdiger* 51

The *N*-ethylmaleimide-sensitive fusion protein (NSF) is preferentially expressed in the nervous system (FEBS 14119) *A.W. Püschel, V. O'Connor, H. Betz* 55

The disulfide bridges of toxin 2 from the scorpion *Centruroides noxius* Hoffmann and its three-dimensional structure calculated using the coordinates of variant 3 from *Centruroides sculpturatus* (FEBS 14121) *G.B. Gurrola, G. Moreno-Hagelsieb, F.Z. Zamudio, M. García, X. Soberon, L.D. Possani* 59

Selective nuclear translocation of protein kinase C α in Swiss 3T3 cells treated with IGF-I, PDGF and EGF (FEBS 14122) *L.M. Neri, A.M. Billi, L. Manzoli, S. Rubbini, R.S. Gilmour, L. Cocco, A.M. Martelli* 63

Cloning and expression of human brain type I inositol 1,4,5-trisphosphate 5-phosphatase: High levels of mRNA in cerebellar Purkinje cells (FEBS 14123) *F. De Smedt, B. Verjans, P. Mailleux, C. Erneux* 69

Involvement of the hydrophobic stack residues 39–44 of factor VII_a in tissue factor interactions (FEBS 14127) *L.C. Petersen, J. Schiødt, U. Christensen* 73

Cleavage of proalbumin peptides by furin reveals unexpected restrictions at the P_2 and P'_1 sites (FEBS 14125) *S.O. Brennan, K. Nakayama* 80

Tyrosine phosphorylation and stimulation of protein kinase Cδ from porcine spleen by src in vitro: Dependence on the activated state of protein kinase Cδ (FEBS 14128) *M. Gschwendt, K. Kielbassa, W. Kittstein, F. Marks* 85

The 'Hinge' protein of cytochrome *c* reductase from potato lacks the acidic domain and has no cleavable presequence (FEBS 14129) *H.-P. Braun, L. Jänsch, V. Kruft, U.K. Schmitz* 90

Hyaluronate depolymerization activity induced by progesterone in cultured fibroblasts derived from human uterine cervix (FEBS 14131) *K. Tanaka, T. Nakamura, H. Ikeya, T. Higuchi, A. Tanaka, A. Morikawa, Y. Saito, K. Takagaki, M. Endo* 95

Human chromosomal centromere $(AATGG)_n$ sequence forms stable structures with unusual base pairs (FEBS 14130) *T.N. Jaishree, A.H.-J. Wang* 99

Hypothesis

Functional role of a consensus peptide which is common to α-, β-, and γ-tubulin, to actin and centractin, to phytochrome A, and to the TCP1α chaperonin protein (FEBS 14136) *R.G. Burns, C.D. Surridge* 105

Research Letters

Toxic principle of selva ant venom is a pore-forming protein transformer (FEBS 14132) *A.S. Arseniev, K.A. Pluzhnikov, D.E. Nolde, A.G. Sobol, M.Yu. Torgov, S.V. Sukhanov, E.V. Grishin* 112

Adenovirus-mediated gene transfer to murine retinal cells in vitro and in vivo (FEBS 14126) *C. Jomary, T.A. Piper, G. Dickson, L.A. Couture, A.E. Smith, M.J. Neal, S.E. Jones* 117

Susceptibility of rat retina acyl-CoA:1-acyl-*sn*-glycero-3-phosphocholine *O*-acyltransferase and CTP:phosphocholine cytidylyltransferase activity to lipid peroxidation and hydroperoxide treatment (FEBS 14133) *C.D. Anfuso, G. Lupo, S. Sipione, M. Alberghina* 123

14-3-3 proteins bind to histone and affect both histone phosphorylation and dephosphorylation (FEBS 14134) *F. Chen, P.D. Wagner* 128

Energetic aspects of intramolecular coupling between the nucleotide binding site and the distal switch II region of the yeast RAS2 protein (FEBS 14135) *E. De Vendittis, O. Fasano* 133

A factor protecting mammalian [^{75}Se]SeCys-tRNA is different from EF-1α (FEBS 14137) *K. Yamada, T. Mizutani, S.-i. Ejiri, T. Totsuka* 137

Yeast serine isoacceptor tRNAs: variations of their content as a function of growth conditions and primary structure of the minor $tRNA^{Ser}GCU$ (FEBS 14138) *T. Heyman, B. Agoutin, C. Fix, G. Dirheimer, G. Keith* 143

Creatine kinase function in mitochondria isolated from gravid and non-gravid guinea-pig uteri (FEBS 14139) *J.F. Clark, A.V. Kuznetsov, Z. Khuchua, V. Veksler, R. Ventura-Clapier, V. Saks* 147

FEBS Letters 347 (1994) 314–315

Contents to volume 347

Minireview

Calcium, calmodulin and cell cycle regulation (FEBS 14106) *A.R. Means* 1

Hypothesis

Thermodynamic considerations on the formation of reactive species from hypochlorite, superoxide and nitrogen monoxide: Could nitrosyl chloride be produced by neutrophils and macrophages? (FEBS 14108) *W.H. Koppenol* 5

Research Letters

Induction of specific protein tyrosine phosphatase transcripts during differentiation of mouse embryonal carcinoma (F9) cells (FEBS 14105) *K. Tsuneizumi, T. Kume, T. Watanabe, M.F.B.G. Gebbink, M.L. Thomas, M. Oishi* 9

ADP tethered to tyrosine-β345 at the catalytic site of the bovine heart F_1-ATPase is converted to tethered AMP by Mg^{2+}-dependent hydrolysis when the enzyme is photoinactivated with 2-N_3-ADP (FEBS 14111) *J.-M. Jault, W.S. Allison* 13

Stoichiometry of the complex of human interleukin-4 with its receptor (FEBS 14110) *R.C. Hoffman, C. Schalk-Hihi, B.J. Castner, M.G. Gibson, B.D. Rasmussen, A. Zdanov, A. Gustchina, C.J. March, A. Wlodawer* 17

Purification, and some molecular and enzymatic features of a novel *ccb*-type cytochrome *c* oxidase from a microaerobic denitrifier, *Magnetospirillum magnetotacticum* (FEBS 14114) *H. Tamegai, Y. Fukumori* 22

Vitamin D status modulates rat colonic M_3 muscarinic receptor characteristics and coupling to guanylate cyclase (FEBS 14112) *S. Khare, X.-Y. Tien, D. Wilson, R.K. Wali, B.M. Bissonnette, M.D. Sitrin, T.A. Brasitus* 27

Cyclophilin-B is an abundant protein whose conformation is similar to cyclophilin-A (FEBS 14115) *A. Galat, F. Bouet* 31

Purification of two active fusion proteins of the Na^+-dependent citrate carrier of *Klebsiella pneumoniae* (FEBS 14116) *K.M. Pos, M. Bott, P. Dimroth* 37

Parallel changes in Glut 4 and Rab4 movements in two insulin-resistant states (FEBS 14124) *J.-M. Ricort, J.-F. Tanti, M. Cormont, E. Van Obberghen, Y. Le Marchand-Brustel* 42

The rates of proton uptake and electron transfer at the reducing side of photosystem II in thylakoids (FEBS 14109) *M. Haumann, W. Junge* 45

The amino acid sequence previously attributed to a protein kinase or a TCP1-related molecular chaperone and co-purified with phytochrome is a β-glucosidase (FEBS 14117) *S. Gus-Mayer, H. Brunner, H.A.W. Schneider-Poetsch, F. Lottspeich, C. Eckerskorn, R. Grimm, W. Rüdiger* 51

The *N*-ethylmaleimide-sensitive fusion protein (NSF) is preferentially expressed in the nervous system (FEBS 14119) *A.W. Püschel, V. O'Connor, H. Betz* 55

The disulfide bridges of toxin 2 from the scorpion *Centruroides noxius* Hoffmann and its three-dimensional structure calculated using the coordinates of variant 3 from *Centruroides sculpturatus* (FEBS 14121) *G.B. Gurrola, G. Moreno-Hagelsieb, F.Z. Zamudio, M. García, X. Soberon, L.D. Possani* 59

Selective nuclear translocation of protein kinase C α in Swiss 3T3 cells treated with IGF-I, PDGF and EGF (FEBS 14122) *L.M. Neri, A.M. Billi, L. Manzoli, S. Rubbini, R.S. Gilmour, L. Cocco, A.M. Martelli* 63

Cloning and expression of human brain type I inositol 1,4,5-trisphosphate 5-phosphatase: High levels of mRNA in cerebellar Purkinje cells (FEBS 14123) *F. De Smedt, B. Verjans, P. Mailleux, C. Erneux* 69

Involvement of the hydrophobic stack residues 39–44 of factor VII_a in tissue factor interactions (FEBS 14127) *L.C. Petersen, J. Schiødt, U. Christensen* 73

Cleavage of proalbumin peptides by furin reveals unexpected restrictions at the P_2 and P'_1 sites (FEBS 14125) *S.O. Brennan, K. Nakayama* 80

Tyrosine phosphorylation and stimulation of protein kinase Cδ from porcine spleen by src in vitro: Dependence on the activated state of protein kinase Cδ (FEBS 14128) *M. Gschwendt, K. Kielbassa, W. Kittstein, F. Marks* 85

The 'Hinge' protein of cytochrome *c* reductase from potato lacks the acidic domain and has no cleavable presequence (FEBS 14129) *H.-P. Braun, L. Jänsch, V. Kruft, U.K. Schmitz* 90

Hyaluronate depolymerization activity induced by progesterone in cultured fibroblasts derived from human uterine cervix (FEBS 14131) *K. Tanaka, T. Nakamura, H. Ikeya, T. Higuchi, A. Tanaka, A. Morikawa, Y. Saito, K. Takagaki, M. Endo* 95

Human chromosomal centromere $(AATGG)_n$ sequence forms stable structures with unusual base pairs (FEBS 14130) *T.N. Jaishree, A.H.-J. Wang* 99

Hypothesis

Functional role of a consensus peptide which is common to α-, β-, and γ-tubulin, to actin and centractin, to phytochrome A, and to the TCP1α chaperonin protein (FEBS 14136) *R.G. Burns, C.D. Surridge* 105

Research Letters

Toxic principle of selva ant venom is a pore-forming protein transformer (FEBS 14132) *A.S. Arseniev, K.A. Pluzhnikov, D.E. Nolde, A.G. Sobol, M.Yu. Torgov, S.V. Sukhanov, E.V. Grishin* 112

Adenovirus-mediated gene transfer to murine retinal cells in vitro and in vivo (FEBS 14126) *C. Jomary, T.A. Piper, G. Dickson, L.A. Couture, A.E. Smith, M.J. Neal, S.E. Jones* 117

Susceptibility of rat retina acyl-CoA:1-acyl-*sn*-glycero-3-phosphocholine *O*-acyltransferase and CTP:phosphocholine cytidylyltransferase activity to lipid peroxidation and hydroperoxide treatment (FEBS 14133) *C.D. Anfuso, G. Lupo, S. Sipione, M. Alberghina* 123

14-3-3 proteins bind to histone and affect both histone phosphorylation and dephosphorylation (FEBS 14134) *F. Chen, P.D. Wagner* 128

Energetic aspects of intramolecular coupling between the nucleotide binding site and the distal switch II region of the yeast RAS2 protein (FEBS 14135) *E. De Vendittis, O. Fasano* 133

A factor protecting mammalian [^{75}Se]SeCys-tRNA is different from EF-1α (FEBS 14137) *K. Yamada, T. Mizutani, S.-i. Ejiri, T. Totsuka* 137

Yeast serine isoacceptor tRNAs: variations of their content as a function of growth conditions and primary structure of the minor $tRNA^{Ser}GCU$ (FEBS 14138) *T. Heyman, B. Agoutin, C. Fix, G. Dirheimer, G. Keith* 143

Creatine kinase function in mitochondria isolated from gravid and non-gravid guinea-pig uteri (FEBS 14139) *J.F. Clark, A.V. Kuznetsov, Z. Khuchua, V. Veksler, R. Ventura-Clapier, V. Saks* 147

The presence but not the sequence of the N-terminal peptide in cardiac TnC is important for function (FEBS 14140) *W. Liu, D.G. Dotson, X. Lin, J.J. Mullen III, M.L. Gonzalez-Garay, Q. Lu, J.A. Putkey* 152

Changes in cell cycle-associated gene expression in a model of impaired liver regeneration (FEBS 14141) *J.H. Albrecht, J.S. Hoffman, B.T. Kren, C.J. Steer* 157

NAD(P)H-flavin oxidoreductase from the bioluminescent bacterium, *Vibrio fischeri* ATCC 7744, is a flavoprotein (FEBS 14142) *S. Inouye* 163

Positively charged residues influence the degree of SecA dependence in protein translocation across the *E. coli* inner membrane (FEBS 14144) *H. Andersson, G. von Heijne* 169

Cloning and correct expression in *E. coli* of the *petJ* gene encoding cytochrome c_6 from *Synechocystis* 6803 (FEBS 14143) *A. Díaz, F. Navarro, M. Hervás, J.A. Navarro, S. Chávez, F.J. Florencio, M.A. De la Rosa* 173

Activation of human peripheral monocytes by angiotensin II (FEBS 14145) *A.W.A. Hahn, U. Jonas, F.R. Bühler, T.J. Resink* 178

Attenuation of agonist-induced desensitization of the rat substance P receptor by progressive truncation of the C-terminus (FEBS 14146) *N. Sasakawa, M. Sharif, M.R. Hanley* 181

Cloning of an *Arabidopsis* histidine transporting protein related to nitrate and peptide transporters (FEBS 14147) *W.B. Frommer, S. Hummel, D. Rentsch* 185

Na^+-driven ATP synthesis in *Methanobacterium thermoautotrophicum* and its differentiation from H^+-driven ATP synthesis by rhodamine 6G (FEBS 14149) *P. Šmigáň, A. Majerník, M. Greksák* 190

Induction of a tomato peroxidase gene in vascular tissue (FEBS 14156) *M.A. Botella, M.A. Quesada, M.I. Medina, F. Pliego, V. Valpuesta* 195

Making a small enzyme smaller; removing the conserved loop structure of hen lysozyme (FEBS 14157) *R. Pickersgill, K. Varvill, S. Jones, B. Perry, B. Fischer, I. Henderson, S. Garrard, I. Sumner, P. Goodenough* 199

The crystal structures of reduced pseudoazurin from *Alcaligenes faecalis* S-6 at two pH values (FEBS 14158) *E. Vakoufari, K.S. Wilson, K. Petratos* 203

Effects of monovalent cations on cytochrome P-450 camphor: Evidence for preferential binding of potassium (FEBS 14159) *E. Deprez, C. Di Primo, G.H.B. Hoa, P. Douzou* 207

Effects of estradiol on very low density lipoprotein receptor mRNA levels in rabbit heart (FEBS 14160) *H. Masuzaki, H. Jingami, T. Yamamoto, K. Nakao* 211

Alteration of the erythrocyte glutathione redox balance by *N*-acetylcysteine, captopril and exogenous glutathione (FEBS 14162) *J. Russell, C.M. Spickett, J. Reglinski, W.E. Smith, J. McMurray, I.B. Abdullah* 215

Characterization of monoclonal antibodies generated against bovine and porcine prostacyclin synthase and quantitation of bovine prostacyclin synthase (FEBS 14118) *I. Siegle, R. Nüsing, R. Brugger, R. Sprenger, R. Zecher, V. Ullrich* 221

Motility and chemotaxis in *Bacillus sphaericus*: Dependence upon stage of growth (FEBS 14151) *J. Andreev, P.A. Dibrov, S. Braun* 226

Chemotaxis, sporulation, and larvicide production in *Bacillus sphaericus* 2362: The influence of L-ethionine, and of aminophenylboronic acid (FEBS 14152) *J. Andreev, P.A. Dibrov, D. Klein, S. Braun* 231

Altered chemotaxis of *Bacillus sphaericus* L-ethionine-resistant sporulation mutant: A probable link between chemotaxis and sporulation (FEBS 14153) *J. Andreev, P.A. Dibrov, S. Braun* 235

ATP/ADP antiporter is involved in uncoupling of plant mitochondria induced by low concentrations of palmitate (FEBS 14154) *A. Vianello, E. Petrussa, F. Macrì* 239

An increase of the energy coupling capacity of submitochondrial particles by lanthanides (FEBS 14155) *V.G. Grivennikova, E.V. Gavrikova, A.D. Vinogradov* 243

Polymerization of actin from the thymosin $\beta 4$ complex initiated by the addition of actin nuclei, nuclei stabilizing agents or myosin S1 (FEBS 14165) *A. Reichert, D. Heintz, W. Voelter, M. Mihelic, H. Faulstich* 247

Actophorin preferentially binds monomeric ADP-Actin over ATP-bound actin: consequences for cell locomotion (FEBS 14166) *S.K. Maciver, A.G. Weeds* 251

Luffin-S — a small novel ribosome-inactivating protein from *Luffa cylindrica*: Characterization and mechanism studies (FEBS 14168) *W. Gao, J. Ling, X. Zhong, W. Liu, R. Zhang, H. Yang, H. Cao, Z. Zhang* 257

Distinguishing between duplex and hairpin forms of RNA by ^{15}N–^{1}H heteronuclear NMR (FEBS 14178) *F. Aboul-ela, E.P. Nikonowicz, A. Pardi* 261

Binding of GM1-ganglioside to a synthetic peptide derived from the lysosomal sphingolipid-activator-protein saposin B (FEBS 14150) *M.-J. Champagne, S. Lamontagne, M. Potier* 265

Isolation and characterization of a cDNA clone encoding the pokeweed antiviral protein II from *Phytolacca americana* and its expression in *E. coli* (FEBS 14179) *J.-L. Poyet, J. Radom, A. Hoeveler* 268

Myelin membrane biogenesis by oligodendrocytes: Developmental regulation of low molecular weight GTP-binding proteins (FEBS 14176) *L.A. Huber, D.L. Madison, K. Simons, S.E. Pfeiffer* 273

Molecular cloning, tissue distribution and chromosomal localization of a novel member of the opioid receptor gene family (FEBS 14174) *Y. Chen, Y. Fan, J. Liu, A. Mestek, M. Tian, C.A. Kozak, L. Yu* 279

Molecular cloning and tissue distribution of a putative member of the rat opioid receptor gene family that is not a μ, δ or κ opioid receptor type (FEBS 14175) *J.R. Bunzow, C. Saez, M. Mortrud, C. Bouvier, J.T. Williams, M. Low, D.K. Grandy* 284

YY1 is involved in the regulation of the bi-directional promoter of the Surf-1 and Surf-2 genes (FEBS 14181) *K. Gaston, M. Fried* 289

Isolation and characterization of a high molecular weight cytochrome from the sulfate reducing bacterium *Desulfovibrio gigas* (FEBS 14177) *L. Chen, M.M. Pereira, M. Teixeira, A.V. Xavier, J. Le Gall* 295

Purification, crystallization and preliminary X-ray diffraction analysis of recombinant human neutrophil-activating peptide 2 (rhNAP-2) (FEBS 14187) *A.J. Kungl, M. Machius, R. Huber, C. Schwer, C. Lam, H. Aschauer, G. Ehn, I.J.D. Lindley, M. Auer* 300

Stability and solvation of Thr/Ser to Ala and Gly mutations at the N-cap of α-helices (FEBS 14188) *Y.W. Chen, A.R. Fersht* 304

Author index to volume 347 310

Contents to volume 347 314